## Application No. Applicant(s) 10/677.900 CRABTREE ET AL. Notice of Allowability Examiner Art Unit Dinh Q. Nauven 3752 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. This communication is responsive to amendment filed June 10, 2008. 2. The allowed claim(s) is/are 1-14. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) \( \subseteq \text{Some\* c} \) \( \subseteq \text{None of the:} \) a) $\square$ All 1. T Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. | Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Interview Summary (PTO-413), Paper No./Mail Date 9/1/08. Information Disclosure Statements (PTO/SB/08). 7. X Examiner's Amendment/Comment

Paper No./Mail Date

of Biological Material

4. T Examiner's Comment Regarding Requirement for Deposit

Other .

8. X Examiner's Statement of Reasons for Allowance

Application/Control Number: 10/677,900 Page 2

Art Unit: 3752

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes
and/or additions be unacceptable to applicant, an amendment may be filed as provided
by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be
submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sue Shaper on August 26, 2008.

The application has been amended as follows:

Claim 9, line 1, "claims 1, 2, 3, 4, 5, 6, 7, or 8" has been changed to --claims 1, 2, 3, or 4--.

2. The following is an examiner's statement of reasons for allowance: The prior art fails to disclose or render obvious the claimed combination including: a method comprising automatically metering a preselected ratio of additive into an automatic industrial-scale fire fighting nozzle, including adjusting at least one occluding element in an additive passageway within the nozzle in fluid communication with a fire fighting liquid conduit within the nozzle in accordance with a varying discharge orifice of the fire fighting liquid conduit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/677,900

Art Unit: 3752

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dinh Q. Nguyen whose telephone number is 571-272-4907. The examiner can normally be reached on Monday-Thursday 6:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on 571-272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dinh Q Nguyen/ Primary Examiner, Art Unit 3752